WEST Search History

| Hide Items | Restore | Clear | Cancel |

DATE: Wednesday, February 02, 2005

Hide?	Set Name	Query	Hit Count
		DB=PGPB,USPT,USOC; PLUR=YES; OP=ADJ	
☐	L14	(L9 or L10 or L11 or L12) and (initial$ near file)	14
☐	L13	(L9 or L10 or L11 or 12) and (initial$ near file)	2544
☐	L12	(L1 and L2) and Hkey$	30
☐	L11	L3 and USB	36.
☐	L10	L3 and subkey	6
☐	L9	L3 and Hkey$	9
		DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ	
☐	L8	L4 and USB	0
☐	L7	L4 and (initial$ near file)	0
☐	L6	L4 and subkey	0
☐	L5	L4 and HKey$	0
☐	L4	L3	44
		DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ	
☐	L3	L2 and ((detach$ or deleting or delete or removing or remove) same configuration data)	527
☐	L2	(registry and device) or configuration data	106349
		DB=PGPB,USPT,USOC; PLUR=YES; OP=ADJ	
☐	L1	717/110-113,120-123,174-178.ccls.	1667

END OF SEARCH HISTORY

THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used **registry** **subkey**   Found **3** of **150,138**

Sort results by [relevance ▼]

Display results [expanded form ▼]

🔖 Save results to a Binder

❓ Search Tips

☐ Open results in a new window

Try an Advanced Search
Try this search in The ACM Guide

Results 1 - 3 of 3

Relevance scale ☐ ▭ ▬ ▬ ■

1 A holistic approach to service survivability   ▬

Angelos D. Keromytis, Janak Parekh, Philip N. Gross, Gail Kaiser, Vishal Misra, Jason Nieh, Dan Rubenstein, Sal Stolfo

October 2003 **Proceedings of the 2003 ACM workshop on Survivable and self-regenerative systems: in association with 10th ACM Conference on Computer and Communications Security**

Full text available: 📄 pdf(1.58 MB)   Additional Information: full citation, abstract, references, index terms

We present SABER (Survivability Architecture: Block, Evade, React), a proposed survivability architecture that blocks, evades and reacts to a variety of attacks by using several security and survivability mechanisms in an automated and coordinated fashion. Contrary to the ad hoc manner in which contemporary survivable systems are built-using isolated, independent security mechanisms such as firewalls, intrusion detection systems and software sandboxes-SABER integrates several different techno ...

Keywords: intrusion detection, overlay networks, survivability

2 Encryption and Secure Computer Networks   ▭

Gerald J. Popek, Charles S. Kline

December 1979 **ACM Computing Surveys (CSUR)**, Volume 11 Issue 4

Full text available: 📄 pdf(2.50 MB)   Additional Information: full citation, references, citings, index terms

3 Special session on mobile computing #3: Implementing the TEA algorithm on sensors   ▭

Shuang Liu, Olga V. Gavrylyako, Phillip G. Bradford

April 2004 **Proceedings of the 42nd annual Southeast regional conference**

Full text available: 📄 pdf(510.44 KB)   Additional Information: full citation, abstract, references

Sensors are tiny computers with limited computational capability and physical resources. The implementation of secure protocols for sensor network is a big challenge. In order to provide high security for sensor networks, it is very important to choose a small, efficient and effective encryption algorithm as a security primitive. The TEA (Tiny Encryption Algorithm) is an efficient algorithm that requires little memory and resources. These features make the TEA a good candidate for security mech ...

Keywords: TEA, TinyOS, motes, security, sensor network

Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore
RELEASE 1.8

Welcome
United States Patent and Trademark Office

Help   FAQ   Terms   IEEE Peer Review   **Quick Links** ▾

» Sea

Welcome to IEEE Xplore*

- ○ Home
- ○ What Can I Access?
- ○ Log-out

Tables of Contents

- ○ Journals & Magazines
- ○ Conference Proceedings
- ○ Standards

Search

- ○ By Author
- ○ Basic
- ○ Advanced
- ○ CrossRef

Member Services

- ○ Join IEEE
- ○ Establish IEEE Web Account
- ◉ Access the IEEE Member Digital Library

IEEE Enterprise

- ○ Access the IEEE Enterprise File Cabinet

🖫 Print Format

Your search matched **8** of **1123491** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:
You may refine your search by editing the current search expression or enterin new one in the text box.

`registry<and>device` | Search |

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine   **CNF** = Conference   **STD** = Standard

---

1 **Cardiac pacing in the next millenium: a problem?**
Dassen, W.R.M.; Hooijschuur, C.A.M.; Dijk, W.A.; van der Velde, W.; Gommer E.D.;
Computers in Cardiology 1998 , 13-16 Sept. 1998
Pages:553 - 556

[Abstract]   [PDF Full-Text (240 KB)]   IEEE CNF

---

2 **Wafer-level in-registry microstamping**
Folch, A.; Schmidt, M.A.;
Microelectromechanical Systems, Journal of , Volume: 8 , Issue: 1 , March 199
Pages:85 - 89

[Abstract]   [PDF Full-Text (684 KB)]   IEEE JNL

---

3 **Interstitial low-power diode laser treatment for benign prostatic hyperplasia**
Conn, R.L.; Adams, C.S.; Esch, V.;
Lasers and Electro-Optics Society Annual Meeting, 1995. 8th Annual Meeting Conference Proceedings, Volume 1., IEEE , Volume: 1 , 30-31 Oct. 1995
Pages:151 vol.1

[Abstract]   [PDF Full-Text (88 KB)]   IEEE CNF

---

4 **XML schema-based discovery and invocation of mobile services**
Steele, R.; Ventsov, Y.; Dillon, T.;
e-Technology, e-Commerce and e-Service, 2004. EEE '04. 2004 IEEE Internat Conference on , 28-31 March 2004
Pages:253 - 258

5 **Uniform pacemaker and ICD information system in the Netherlands**
Hooijschuur, C.A.M.; Dijk, W.A.; van der Velde, W.; Sanon, B.; Ammeraal, C.; Dassen, W.R.M.; Spruijt, H.J.;
Computers in Cardiology, 2002 , 22-25 Sept. 2002
Pages:377 - 380

6 **Organizing and accessing Web services on air**
Xu Yang; Bouguettaya, A.; Medjahed, B.; Long, H.; Weiping He;
Systems, Man and Cybernetics, Part A, IEEE Transactions on , Volume: 33 , Is 6 , Nov. 2003
Pages:742 - 757

7 **High density COS/MOS 1024-bit static random access memory**
Dingwall, A.G.F.; Stricker, R.E.;
Solid-State Circuits, IEEE Journal of , Volume: 10 , Issue: 4 , Aug 1975
Pages:197 - 200

8 **Design and implement of the home networking service agent federa using open service gateway**
Feng-Chao Yang;
Integration of Knowledge Intensive Multi-Agent Systems, 2003. International Conference on , 30 Sept.-4 Oct. 2003
Pages:628 - 633

Searching for **registry and hkey**.
Restrict to: Header Title Order by: Expected citations Hubs Usage Date Try: Google (CiteSeer)
Google (Web) Yahoo! MSN CSB DBLP
4 documents found. **Order: number of citations.**

Creating User-Mode Device Drivers with a Proxy - Hunt (1997) (Correct) (3 citations)
user-mode device driver components in the system **registry** under the key
HKEY_LOCAL_MACHINE\SOFTWARE-
NT Executive. Information stored in the system **registry** determines where the user-mode device will
components in the system **registry** under the key **HKEY_LOCAL_MACHINE\SOFTWARE- URCS\ProxyDevices.**
For
research.microsoft.com/~galenh/Publications/HuntUsenixNt97.pdf

PVM on Windows and NT Clusters - Stephen Scott Markus (1998) (Correct) (2 citations)
editor (regedit) and export the entire Ataman **registry** branch to a file. This branch is located at
in next step. 5. On the target machine, run the **registry** editor -go to the {**HKEY_LOCAL_MACHINE\SOFTWARE**}

branch to a file. This branch is located at {**HKEY_LOCAL_MACHINE\SOFTWARE\Ataman** Software, Inc.3.
www.epm.ornl.gov/%7Esscott/PVM/Papers/EuroPVM98.ps

Unknown - (Correct)
3 4. ActiveX and the Windows **Registry**.4 5. ECML, The
September 2000 4. ActiveX and the Windows **Registry** If running on Microsoft Windows Internet
Keyx =xiotpString.GetBuffer(1)rc =RegOpenKeyEx(**HKEY_LOCAL_MACHINE,** Key, 0, KEY_READ, hDefKey)rcx
=
www.tzi.de/~cabo/pdfrfc/rfc2936.txt.pdf

Discovering Correctness Constraints for Self-Management of.. - Configuration Emre Kcman (Correct)
focus on configuration data stored in the Windows **registry**, including both application configuration
et al. study problems related to the Windows **registry**, and find that faulty configuration data in the
application settings underneath the key **HKEY_CURRENT_USER\Software\VendorName]**For the
www.stanford.edu/~emrek/pubs/glean.pdf

Try your query at: Google (CiteSeer) Google (Web) Yahoo! MSN CSB DBLP

Web | Images | Video **NEW!** | Directory | Local | News | Products

YAHOO! SEARCH HKEY subkey detach uninstall   [Search]

Shortcuts   Advanced Search   Preferences

Search Results   Results **1 - 10** of about **22** for **registry hkey subkey detach uninstall** - 0.20 sec. (About

Windows NT: Administering the Windows NT **Registry** ▩
his chapter will introduce you to several small tasks related to managing the NT **Registry**; while none of them is a
eys, use the **Registry** > Unload Hive command to **detach** the hive ... when a program's uninstalled (**Uninstall**), s
icrosoft.com/technet/archive/winntas/maintain/mngntreg/admreg.mspx - 111k - Cached - More from this site

requently asked questions, hints and tips ▩
artnerWorld Technical FAQs ibm.com. IBM PartnerWorld > Frequently Asked Questions. FAQ help ... The syster
stalling the final ... in the debugger to **detach** the script from the ...
eveloper.ibm.com/tech/faq/results/0,1322,1%3A347%3A353%3A38%3Awss,... - 39k - Cached - More from this si

Ianaging the Windows NT **Registry**: Chapter 8. Administering the NT **Registry** ▩
then writes the changes to the appropriate **subkey** of HKU ... keys, use the **Registry** Unload Hive command to d
ww.oreilly.com/catalog/manwinreg/chapter/ch08.html - 133k - Cached - More from this site

he Code Project - CNTService v1.06 - NT Service Framework - System ▩
ree source code and tutorials for Windows developers. ... **subkey** of a logfile entry under the EventLog key in the
ww.codeproject.com/system/cntservice.asp - 137k - Cached - More from this site

bAlertz! ▩
ree Email "Alertz" when Microsoft Publishes Knowledge Base Articles! Log In. Email. Password. Remember Me.
ww.kbalertz.com/allKbs.aspx?tec=241 - 207k - Cached - More from this site

eterministic Networks - QoS, Traffic Engineering, Bandwidth Management, SLAs, Enforcemer
you install, no reboot, **uninstall**, delete the dnes ... 06/00 - Fix filter **detach** and destroy memory leak ... the **regi**
ww.deterministicnetworks.com/products/dne221.asp - 96k - Cached - More from this site

ttp://www.openafs.org/dl/1.3.66/openafs-1.3.66-src.diff ▩
here are two work arounds available: + * + * (1) We can disable the check for matching host names.
ww.openafs.org/dl/1.3.66/openafs-1.3.66-src.diff - More from this site

ttp://www.cs.odu.edu/~sgullapa/cs595/123.ppt (MICROSOFT POWERPOINT) ▩
reating Windows Services. Srinivas Gullapalli. Topics to be covered. Introduction. How to build a service. Sample
stallation—. specifically, to a **subkey** under the. **HKEY_LOCAL** ... To **Uninstall** the Service following ... you're fir
ww.cs.odu.edu/~sgullapa/cs595/123.ppt - 334k - View as html - More from this site

Windows Services: New Base Classes in .NET Make Writing a Windows Service Easy – MSDN
registry for you as needed for the installation—specifically, to a **subkey** under the **HKEY** ... u parameter to unii
sdn.microsoft.com/msdnmag/issues/01/12/NETServ/default.aspx - 52k - Cached - More from this site

ttp://www.filespace.org/CompSci/Terms_for_computers ▩
he operating system always applies the next keystroke or command you choose to the active window. ... device s
evice driver; **registry**; **uninstall** integrated device electronics ...
ww.filespace.org/CompSci/Terms_for_computers - 159k - Cached - More from this site

Results Page:

1 2 ▶ **Next**

Your Search: registry HKEY subkey detach uninstall   [Search]

Help us improve your search experience. Send us feedback.

Google

Web

Results **1 - 10** of about **40** for **registry HKEY subkey detach uninstall**. **(0.33** seconds)

Did you mean: registry **KEY** subkey detach uninstall

winreg.c Windows **Registry** access module for Python. * Simple ...
... PyHKEY_CloseMethod, 1, PyHKEY_Close_doc}, {"**Detach**", PyHKEY_DetachMethod, 1 ... TRUE; } /*
Convert **Registry** data into ... rc = RegCreateKey(**hKey, subKey,** &retKey); if ...
cvs.sourceforge.net/viewcvs.py/ python/python/dist/src/PC/_winreg.c?rev=1.3 - 42k - Supplemental Result -
Cached - Similar pages

_winreg.c Windows **Registry** access module for Python. * Simple ...
... METH_VARARGS, PyHKEY_Close_doc}, {"**Detach**", PyHKEY_DetachMethod ...
PyErr_SetString(
PyExc_OverflowError, "**registry** string is ... rc = RegCreateKey(**hKey, subKey,** &retKey ...
cvs.sourceforge.net/viewcvs.py/ python/python/dist/src/PC/_winreg.c?rev=1.11 - 43k - Supplemental
Result - Cached - Similar pages
[More results from cvs.sourceforge.net]

C -*- * * Wine server protocol definition * * Copyright (C) 2001 ...
... the key */ @END /* Enumerate **registry** subkeys */ @REQ(enum_key) obj_handle_t **hkey**; /*
handle to **registry** key */ int index; /* index of **subkey** (or -1 ...
cvs.winehq.com/cvsweb/wine/server/protocol.def?rev=1.43 - 63k - Supplemental Result - Cached - Similar pages

ATL Digest - 5 Apr 2000 to 6 Apr 2000 - Special issue (#2000-217)
... if this fails, then the **registry** is examined ... LONG retval = RegOpenKeyEx(key, **subkey,**
0, KEY_QUERY_VALUE ... lstrcpy(retdata,data); RegCloseKey(**hkey**); } return retval ...
www.faqchest.com/msdn/ATL/atl-00/ atl-0004/atl-000400/atl00040618_17035.html - Supplemental Result -
Similar pages

This is /home/pdm/install/Python-2.1/Doc/lib/python-lib.info ...
... is a string that names the **subkey** with which ... This object wraps a Windows **HKEY** object,
automatically ... All **registry** functions in this module which accept a handle ...
www.mit.edu/afs/sipb.mit.edu/ project/python/info/lib/python-lib.info-30 - 47k - Supplemental Result -
Cached - Similar pages

[PS] Python Library Reference
File Format: Adobe PostScript - View as Text
... 1094.8 codecs — Codec **registry** and base classes 54922.2
winreg - Windows **registry** access . . . .
www.mit.edu/afs/sipb.mit.edu/ user/lnemzer/Public/python-docs/lib.ps - Supplemental Result -
Similar pages

[PPT] Classes em C++
File Format: Microsoft Powerpoint 97 - View as HTML
... Get DllName From **Registry**. string serverName; GetServerNameFromRegistry(serverName); //
Load the DLL. ... **HKEY hkey**; long err = RegCreateKeyA(HKEY_CLASSES_ROOT,. ...
www.deetc.isel.ipl.pt/programacao/ Programacao_Inv_2001_2002/es/Documentos/ComIntro.ppt - Supplemental
Result - Similar pages

[PS] Python Library Reference
File Format: Adobe PostScript - View as Text

... 754.7 codecs – Codec **registry** and base classes 39120.2
winreg - Windows **registry** access . . . .
129.194.66.80/revaz/scratch/doc/python/lib.ps - Supplemental Result - <u>Similar pages</u>

[PS] <u>Python Library Reference</u>
File Format: Adobe PostScript - <u>View as Text</u>
... 104 4.8 codecs – Codec **registry** and base classes 513
22.2 winreg - Windows **registry** access . . . .
129.194.66.80/revaz/scratch/doc/python2/lib.ps - Supplemental Result - <u>Similar pages</u>

[PS] <u>Python Library Reference</u>
File Format: Adobe PostScript - <u>View as Text</u>
... 107 4.8 codecs – Codec **registry** and base classes 527
22.2 winreg - Windows **registry** access . . . .
www.ia-stud.hiof.no/~rolando/PL/Python/Doc/lib.ps - Supplemental Result - <u>Similar pages</u>

In order to show you the most relevant results, we have omitted some entries very similar to the 10 already displayed.
If you like, you can <u>repeat the search with the omitted results included</u>.

Did you mean to search for: <u>registry **KEY** subkey detach uninstall</u>

Free! <u>Google Desktop Search</u>: Search your own computer.

registry HKEY subkey detach uninst | Search |

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2005 Google